

# Procedure: Cluster monitoring

Edge Airport France



---

# Table of Contents

**FAQ : Cluster monitoring** .....

**Scope** .....

**Description** .....

**Prerequisites** .....

**Connection Schema** .....

**Functioning of the cluster** .....

**Server's supervision web page** .....

**Checking the synchronization of cluster data** .....

**VALIDATION OF THE CORRECT FUNCTIONING OF THE CLUSTER (COROSYNC)** .....

**DESCRIPTION OF THE CONFIGURATION FILE** .....

**VERIFYING THE CORRECT FUNCTIONING OF THE CLUSTER** .....

**COMmands FOR VERIFYING THE CORRECT FUNCTIONING OF THE CLUSTER** .....

**VERIFICATION OF CLUSTER MANAGEMENT TOOLS** .....

**Edge Airport France** .....



# FAQ : Cluster monitoring

## Scope

Testing and Commissioning Procedure of Cluster

## Description

A server cluster is composed of 2 rigorously identical servers configured in normal / backup high availability. The first server in normal mode is called “primary”, the backup server is called “secondary”.

## Prerequisites

At a minimum, each server uses 3 network adapters configured as follows:

- ETH1 = Main Network Interface = IP\_Server
- ETH2 = bridged network interface for virtual machines = IP\_Br0
- ETH3 = “Private” server synchronization network interface, direct link between the cluster nodes.

On HP servers, the HP\_ILO management interface for monitoring the machine can be set to benefit from the information of the server's physical state (see ILO monitoring documentation).

*The 2 servers are connected to each other by a link allowing to have the servers in 2 different and distant technical premises to ensure the physical integrity of the equipment and the non-propagation of a physical damage on one of the two rooms.*

## Connection Schema



## Functioning of the cluster

The Linux services used for the Cluster are:

- Drbd = data replication between disk spaces
- Corosync = Configuration and scheduling of Cluster services
- Peacemaker = Monitoring cluster services


The services configured and monitored by the Cluster are:

- Apache = Web server
- MySQL = Database
- Samba = File Sharing
- Libvirt = KVM Virtualization Engine
- Libvirtguest = Virtualization Management Tools
- IP Cluster / Route Cluster = Active Network Node

All Linux services are controlled by Corosync, do not use the standard services of Linux daemons, do not use "services" or "systemctl" commands or automatic scripts like "samba". Any activation of the services by this type of command cancels the system monitoring by peacemaker and corosync.

## Server's supervision web page

Goto « [http://ip\\_server/web/system/ezmonitor](http://ip_server/web/system/ezmonitor) »



```
[root@bzvairsvr bzvadmin]# drbd-overview
0:server/0 Connected Primary/Secondary UpToDate/UpToDate /EdgeServer ext4 886G 769G 73G 92%
```

Here the 2 primary and secondary servers are perfectly synchronized at the data level since the status UpToDate is effective on both servers.

Primary / Secondary Uptodate / Uptodate shows the synchronization status of the 2 nodes of the cluster.

In case the DRBD service is not started correctly (Cluster out of service), it is possible to restart the server data synchronization service via the following command:

```
# service drbdserv -full-restart
```

## VALIDATION OF THE CORRECT FUNCTIONING OF THE CLUSTER (COROSYNC)

To know the state of the services managed by the cluster via a terminal or by access ssh, use the command "crm status"

```
[root@bzvairsvr bzvadmin]# crm status
```

The command returns the configuration and cluster status

```
[root@dzacupsvr ~]# crm status
=====
Last updated: Sun Sep 23 08:21:21 2018
Last change: Tue Aug 28 09:42:27 2018 via crm_attribute on dzacupsvr2
Stack: corosync
Current DC: dzacupsvr2 (34212362) - partition with quorum
Version: 1.1.7-2.mga1-ee0730e13d124c3d58f00016c3376a1de5323cff
2 Nodes configured, unknown expected votes
11 Resources configured.
=====

Online: [ dzacupsvr dzacupsvr2 ]

named (lsb:named): Started dzacupsvr
Resource Group: services
  samba (lsb:smb): Started dzacupsvr
  apache (ocf::heartbeat:apache): Started dzacupsvr
  mysql (ocf::heartbeat:mysql): Started dzacupsvr
  libvirt (lsb:libvirt): Started dzacupsvr
  libvirt-guests (lsb:libvirt-guests): Started dzacupsvr
Master/Slave Set: drbdservClone [drbdserv]
  Masters: [ dzacupsvr ]
  Slaves: [ dzacupsvr2 ]
fsserv (ocf::heartbeat:Filesystem): Started dzacupsvr
Resource Group: iphd
  clusterip (ocf::heartbeat:IPaddr2): Started dzacupsvr
  clusterroute (ocf::heartbeat:Route): Started dzacupsvr
```

# DESCRIPTION OF THE CONFIGURATION FILE

The first block indicates the state of the cluster

Last updated: Sun Sep 23 08:21:21 2018

Last change: Tue Aug 28 09:42:27 2018 via crm\_attribute on dzacupsvr2

Stack: corosync

Current DC: dzacupsvr2 (34212362) - partition with quorum

Version: 1.1.7-2.mga1-ee0730e13d124c3d58f00016c3376a1de5323cff

2 Nodes configured, unknown expected votes

11 Resources configured.

The second block tells you which is the primary node, and where are the services:

Online: [ dzacupsvr dzacupsvr2 ]

Resource Group: services

samba (lsb:smb): Started dzacupsvr

apache (ocf::heartbeat:apache): Started dzacupsvr

mysql (ocf::heartbeat:mysql): Started dzacupsvr

libvirtd (lsb:libvirtd): Started dzacupsvr

libvirt-guests (lsb:libvirt-guests): Started dzacupsvr

Master/Slave Set: drbdservClone [drbdserv]

Masters: [ dzacupsvr ]

Slaves: [ dzacupsvr2 ]

fsserv (ocf::heartbeat:Filesystem): Started dzacupsvr

Resource Group: iphd

clusterip (ocf::heartbeat:IPAddr2): Started dzacupsvr

clusterroute (ocf::heartbeat:Route): Started dzacupsvr

⇒ the 2 servers are “online”, and each service is operational on the primary.

## VERIFYING THE CORRECT FUNCTIONING OF THE CLUSTER

See the cluster configuration, use the following command:

```
# crm configure show
```

Example of a configuration file of the Abidjan cluster:

```
node 168430081: abjairsvr
node 168430082: abjairsvr2 \
    attributes standby=off
primitive apache apache \
    params configfile="/etc/httpd/conf/httpd.conf" \
    op start interval=0 timeout=120s \
    op stop interval=0 timeout=120s
primitive clusterip IPAddr2 \
    params ip=192.168.100.1 cidr_netmask=24 nic=en01
primitive clusterroute Route \
    params destination="0.0.0.0/0" gateway=192.168.100.254 \
    meta target-role=Started
primitive drbdserv ocf:linbit:drbd \
    params drbd_resource=server \
    op monitor interval=30s role=Slave \
    op monitor interval=29s role=Master \
    op start interval=0 timeout=240s \
    op stop interval=0 timeout=100s
primitive fsserv Filesystem \
    params device="/dev/drbd/by-res/server" directory="/EdgeServer" fstype=ext4 \
    op start interval=0 timeout=60s \
    op stop interval=0 timeout=60s \
    meta target-role=Started
primitive libvirt-guests systemd:libvirt-guests \
    meta target-role=Started
primitive libvirtd systemd:libvirtd \
    meta target-role=Started
primitive mysql systemd:mysql
primitive samba systemd:smb \
    meta target-role=Started
group iphd clusterip clusterroute
group services libvirtd libvirt-guests apache mysql samba
ms drbdservClone drbdserv \
    meta master-max=1 master-node-max=1 clone-max=2 clone-node-max=1 notify=true target-role=Started
colocation fs_on_drbd inf: fsserv drbdservClone:Master
order fsserv-after-drbdserv inf: drbdservClone:promote fsserv:start
order services-after-iphd inf: iphd services
order services_after_fsserv inf: fsserv services
colocation services_on_fsserv inf: services fsserv
colocation services_on_iphd inf: services iphd
property cib-bootstrap-options: \
    dc-version=1.1.15-1.mga5-e174ec8 \
    cluster-infrastructure=corosync \
    no-quorum-policy=ignore \
    stonith-enabled=false \
    have-watchdog=false \
    resource-stickiness=100 \
    last-lrm-refresh=1533836715
rsc_defaults rsc-options: \
    resource-stickiness=600
```

# Commands FOR VERIFYING THE CORRECT FUNCTIONING OF THE CLUSTER

for example « abjairsvr2 »

DESIRED Action	SYSTEM Command
Checking the cluster status	service corosync status
See cluster nodes	crm node
See the cluster configuration	crm configure show
Edit cluster configuration	crm configure edit
Put a cluster node in standby time to change a configuration	crm node standby abjairsvr2
Put back in service a node of the cluster (here secondary of abidjan)	crm node online abjairsvr2
Change a cluster configuration parameter	crm configure rsc_defaults resource-stickiness=100
View the status of a cluster service	crm resource libvirt-guests status
Purge a cluster service that does not start	crm resource cleanup libvirt-guests
Check whether or not a split brain exists (service that has migrated to a non-operational node)	grep "split-brain" /var/log/syslog
Move a service from one node to another (in the case of a split brain)	crm resource move libvirt-guests abjairsvr2
Reattach a service to the cluster	crm resource manage libvirt-guests
Check that the configuration files are identical between the nodes of a server	crm cluster diff /etc/samba/smb.conf

## VERIFICATION OF CLUSTER MANAGEMENT TOOLS

DESIRED Action	SYSTEM Commands	
See cluster nodes	systemctl status pacemaker	
See the cluster configuration	systemd-analyze verify pacemaker.service	
Edit cluster configuration	systemctl pacemaker.service reload	
Put a cluster node in standby time to change a configuration	systemd-delta pacemaker.service	
Put back in service a node of the cluster (here secondary of abidjan)	journalctl -u pacemaker	more

From:

<https://edgeairport.alwaysdata.net/wiki/> - **Documentation Embross (ex Edge Airport)**

Permanent link:

<https://edgeairport.alwaysdata.net/wiki/doku.php?id=en:faq:materiel:cluster&rev=1538037924> 

Last update: **27/09/2018 10:45**

# Edge Airport France

## Airport Manager Solutions

**Phone: +33 553 801 366**

**Service commercial : [contact@edge-airport.com](mailto:contact@edge-airport.com)**

**Support technique : [support@edge-airport.com](mailto:support@edge-airport.com)**

**Edge Airport France SAS au capital de 150 000 €**

**RCS Bergerac 529 125 346 Les Lèches TVA : FR53529125346 / EORI : FR52912534600039**

**Tel : +33(0)553 801 366 [contact@edge-airport.com](mailto:contact@edge-airport.com) [www.edge-airport.com](http://www.edge-airport.com)**