

Edge Airport France



Table of Contents

EN_EAF_PUB_PaxTracer_201603-002_PlaqTechFR

PAXTracer

Technical description

Functional description

Reading boarding passes

Gathering flight connections information

Edge Airport France

EN_EAF_PUB_PaxTracer_201603-002_PlaqTechFR

[Original file](#)

PAXTracer



Technical description

PAXTracer software is associated with one or more boarding pass readers (in security check point, boarding area, VIP lounge, etc.), allowing the airport to have real time monitoring of each passenger and obtain statistics on transit time between each control point.

The information is collected from the boarding cards of passengers.

The software “PAX Tracer” uses various checkpoints points for data collection:

1. at Check-in- if the stations are either equipped with barcode reader (BC) or boarding pass reader card reader (BG) ;
2. at Boarding - if the stations are either equipped with barcode reader (BC) or boarding card reader (BG).

Other data collection points can be set up. We must add one or more of the following equipment

1. PAXTracer stations equipped with barcode readers (2D, QR code, etc.);
2. one or more automatic gates.


Functional description

The user just presents the boarding pass or smartphone of passenger to an integrated barcode reader and system checks the validates the travel ticket.

It is then stored in **PAXTracer** database.



{{ }} Integrated Bar Code Reader



The data is available and, depending on the number of **PAXTracer** stations and their position, the program provides the following information:

1. passenger search to locate him in the terminal;
2. list and number of passengers in a given area:
 1. in security filter,
 2. in VIP lounge,
 3. in boarding area.
3. calculating the average time between two PAXTracer points.

For example: Calculation of the average crossing time at the security filter;

1. statistics on the final destinations of transit passengers.

Reading boarding passes

The user presents the passenger's boarding pass to integrated barcode reader and data is collected by the system.

In the example below, the passenger is denied because the date on boarding card is incorrect. All anomalies are stored in the PAXTracer database for analysis later.

BZV (PAXStation) PAX tracer Station 214.61

Barcode Details

Platform status pStd
Workstation WStd

Reader devices
BC1
BG2
BC3


Passenger Name
DESMARET/ERIC

26/06/2014 177

Flight **AF 7621** Date **23/05/2014** Time **16:05**

Destination
BORDEAUX

Verifiez date Boarding pass



Terminal
Area
Gate

PAX Tracer Station

Reader 1 Reader 2 Reader 3

Flight : AF 7621
Day : 150

Format : M
Name : DESMARET/ERIC
Ref. : 4JH7K2
Route : BODCDG
Seat : 001A
Séquence : 0012

Time	Event	Status
11:15:31.550	BC --> 215 byte(s) received, 6M2DESMARET/ERIC E4JH7K2 BODCDGAF 7621 150Y001A0012 348>5180 B1A 2A057...	
11:15:12.349	BC --> 133 byte(s) received, 6M1LIMA/MIKE 6OW77R BZVDPSAF 7990 142Y021L0022 347>2180 B1A 29 ...	

Gathering flight connections information

When the boarding card contains more than one multiple, they are saved in the database. In the example above, the final destination of the passenger is Bordeaux (BOD) via Paris Charles de Gaulle (CDG).

This allows to calculate statistics on the connections.

From:
<https://edgeairport.alwaysdata.net/wiki/> - Documentation Embross (ex Edge Airport)

Permanent link:
<https://edgeairport.alwaysdata.net/wiki/doku.php?id=en:solutions:paxtracermenu:prespaxtracer&rev=1504797351>

Last update: **07/09/2017 17:15**

Edge Airport France

Airport Manager Solutions

Phone: +33 553 801 366

Service commercial : contact@edge-airport.com

Support technique : support@edge-airport.com

Edge Airport France SAS au capital de 150 000 €

RCS Bergerac 529 125 346 Les Lèches TVA : FR53529125346 / EORI : FR52912534600039

Tel : +33(0)553 801 366 contact@edge-airport.com www.edge-airport.com